

 sandeiblinds



BROCHURE
BLINDS

Every once in a while, a new technology, an old problem, and a big idea turn into an innovation.



Dean Kamen



Interior Skylight Blinds

- Controlled by motorised system only.
- Operated easily and assist you to manage natural light that coming through the skylight window or roof.




2 years warranty for component



5 years warranty for motor



Somfy - France



Nice - Italy

Interior Skylight Flat

Standard Motorised


Motor Altus 50 30/17 , 40/17
Inside tubular tube
*Details on page 36

Available Size

Width	1 m - 2 m
Length	1 m - 4 m
Max. Area	8 m ²

Notes:

Recommended for lighter fabric



Available Colors



*For other colors, pre-order 1 month and consultation with our product consultant is needed


FTS Somfy (Fabric Tension System)

Automatic tension adjuster skylight flat with FTS, the motor will automatically pull fabric when it stops. Therefore, the fabric will look straight, not curving when it's closed.

Motor FTS 25/17
Inside tubular tube

Available Size

Width	1 m - 3 m
Length	1 m - 6 m
Max. Area	18 m ²




Available Colors



*For other colors, pre-order 1 month and consultation with our product consultant is needed

Interior L Shape Skylight




Available Colors





*For other colors, pre-order 1 month and consultation with our product consultant is needed

Details




Motor Altus 50
*Details on page 36



Available Size

Max. Width	2 m
Max. Length 1	1,5 m
Max. Length 2	3 m
Max. Area	9 m ²


Interior Skylight Vellum




Available Colors






*For other colors, pre-order 1 month and consultation with our product consultant is needed



Details



Motor Altus 50
*Details on page 36



Available Size

Single

Max. Width	6 m
Max. Length	8 m
Max. Area	48 m ²

Intermediate

Max. Width	8 m
Max. Length	8 m
Max. Area	64 m ²

Notes :

- More than 2 m need extra support





Retractable **Awning**

- Excellent protection against glaring heat
- Operated by manual or motorised system
- Your solution for relaxing outdoor experience
- Awning is not recommended for extreme weather

Manual Retractable Awning

Standard



Available Colors




*For other colors, pre-order 1 month and consultation with our product consultant is needed

Available Size

Max. Width	6 m
Max. Length	2m 2,5m 3m
Max. Area	18 m ²


Note : > 4,5m with Center Support

Details




Manual System

Extra Feature




Rain Cover



Center Support

Mini Helix BAT, Italy



Available Colors




*For other colors, pre-order 1 month and consultation with our product consultant is needed

Available Size

Max. Width	6 m
Max. Length	2m 2,5m 3m
Max. Area	18 m ²

> 4,5m with Center Support



Details



2 years warranty for component

Motorised Retractable Awning

Standard



Available Colors



*For other colors, pre-order 1 month and consultation with our product consultant is needed

Available Size

Width	2,5 - 5,9 m	2 arm
Width	6 - 8,9 m	3 arm
Width	9 - 12 m	4 arm
Max. Length	2m 2,5m 3m	


Note : > 4,5m with Center Support

Details



Motorised System

Extra Feature





Rain Cover



Center Support

Epica Box Bat, Italy



Available Colors






*For other colors, pre-order 1 month and consultation with our product consultant is needed

Available Size

Max. Width	6 m
Max. Length	2m 2,5m 3m
Max. Area	18 m ²


Details



Somfy, France

Motorised Retractable Awning

Mini Helix BAT, Italy



Available Colors




*For other colors, pre-order 1 month and consultation with our product consultant is needed

Available Size

Max. Width	6 m
Max. Length	2m 2,5m 3m
Max. Area	18 m ²

> 4,5m with Center Support

Details





2 years warranty for component

FABRICS

Interior Fabric

- Exquisite arrays of interior fabrics sourced from reputable, world-wide companies.
- Sandei Blinds provides various types of fabrics, ranging from decorative patterns to high specification fabrics, depending on the customer's necessities.



Sheer

Invite elegance and aesthetics Sheer into your room. Allowing light to filter in the room while blocking out damaging UV rays. Made from polyester, these Sheer will give any room a sophisticated designer look.

Solar Screen

Solar screen is a highly technical fabric that is mainly designed to assist in glare and heat control to reach maximum room comfort, while maintaining a clear outdoor view. Sandei has an openness factor available : 1 %, 3 %, 5 %, 10 % Also available solar screen fabric with metalized backing.

Dim Out

Light filtering permits some light, but are not open weaves like sheer or screen, this the view is limited to shapes and shadows. Light filtering fabrics allow light to softly filter into the room, and are ideal for areas where soft illumination is preferred.

Black Out

Blackout fabrics prevent all light from passing through the material. These fabrics are often combined with special side rail or zipper and other system components to ensure a complete light seal.

Please kindly contact our product consultant for our fabric catalogue

Our interior fabrics sourced from

COULISSE
SINCE 1992



Serge Ferrari



MERMET

Our interior fabrics certificated by



And other well-know world fabric companies.

Exterior Fabric

- Maximize comfort at your outdoor space.
- Specially design to endure strong wind, heavy rain.
- The fabrics will break rain into spray.
- One stop solution to your exterior needs.
- Upvc (plastic) from japan is also available for exterior roman high durability and the plastic wouldn't easily turn yellow.



Screen

High technical exterior screen with openness factor 1%, 15%, 25%.

Préconstraint Polyester

A durable Polyester fabric with patented Serge Ferrari technology, highly dirt repellent, and UV resistant, ideal for textile architecture and installations. Supported by Préconstraint technology allows a material to have unique characteristics in durability, dimensions, lightweight, anti-deformation, and has a long service life.

UPVC

UPVC is a robust material, mainly used in window construction due to its thermal efficiency and durability. The UPVC we use is made from Japan, with a transparent design made of sturdy plastic.

Acrylic Fabric

Acrylic fabric for awnings are made of woven, breathable fabric that allows air to circulate. Acrylic fabric work well in windy environments and dry quickly. Moreover, they are durable in harsh elements.

Please kindly contact our product consultant for our fabric catalogue

Our exterior fabrics sourced from



Serge Ferrari **Achilles**

Our exterior fabrics certificated by



And other well-know world wide fabric companies.

Accessories

Somfy, France



Transmitter 1 channel
Pure (Situ)



Transmitter 2 channel
Pure (Situ)




Transmitter 4 channel
Pure (Situ)




Transmitter 1 channel
Situ Variation RTS Pure




Transmitter 4 Channel
Situ Variation RTS Pure



Wall transmitter 1 Channel
Silver Shine



Wall transmitter 1 Channel
Black



Wall transmitter 1 Channel
Pure White



Dry Contact Transmitter



Inis Uno Switch



Inis Duo Switch



Telis 16 Chronis RTS Silver

Accessories

Nice, Italy



Portable Transmitter
1 channel (P.1)



Portable Transmitter
6 channel (P.6)




P.1 V with Slider Dimmer
- ERA IN EDGE 10/20



P.6 V with Slider Dimmer
- ERA IN EDGE 10/20



Wall Transmitter
1 channel



Wall Transmitter
6 channel



ERA P.View



Air RW Touchless Radio Transmitter



AGIO AG 4 BWR 01
Portable Transmitter White



AGIO AG 4 BWR 01
Portable Transmitter Black







Curtain Track



- Sleek Design
- Convenience / Easy of operation
- Accessibility/Ease of operation
- Easy Maintenance
- Energy Efficiency



SOMFY CURTAIN TRACK MOTORS SELECTION CHART

Track Type	Motor range 35			Motor range 60			Motor range 60° tandem		
	3m	6m	10m	6m	10m	12m	6m	10m	15m
	35	35	35	60	60	55	100	100	100
	35	35	35	60	60	55	100	100	100
	35	25	20	45	45	35	100	80	80
	35	25	20	45	45	35	100	80	80
	35	15	-	35	8m 25	-	70	8m 56	-
	30	10	-	30	8m 20	-	70	8m 56	-

Curtain Track


GLYDEA ULTRA

- Available in RTS, DCT, WT
- Capacity available 35, 60 kg & 100 kg tandem
- Sound level: 30 dB (Silent Speed) & 44dB (Default Speed) using silent accessories
- Adjustable Speed & Mode Silent (20~7.5 cm/s)
- Touch Motion Feature for RTS & DCT
- Able to operate when there is no electricity
- Soft start & Stop
- Motor position can be reversed
- 5 years warranty for Motor




TUBE - NC50 N2

- Available in RTS & WT
- Available capacity for 50 Kg
- Touch Motion Feature for RTS
- Adjustable Limit for RTS
- Able to operate when there is no electricity
- Compatible with the accessories NC50 N2
- 5 years warranty for Motor




IRISMO PLUS

- Available in RTS, DCT, WT
- Capacity available 35 kg
- Sound level: 44 dB
- Nominal Speed: 15 cm/s
- Touch Motion Feature for RTS & DCT
- Adjustable Limit for RTS & DCT
- Able to operate when there is no electricity
- 5 years warranty for Motor



IRISMO PLUS WIREFREE

- Available Type RTS with capacity 35 kg
- Sound level: 44 dB
- Nominal Speed: 15 cm/s
- Touch Motion Feature for RTS & DCT
- Adjustable Limit
- Battery capacity: 2000 mAh
- Charger Connector: USB 2.0 Micro-B
- 2 years warranty for Battery & 5 years for Motor



OUR OTHER PRODUCTS LINE

Sandei Partition is one of our subsidiary which specializes in operable glass and sound reduce partitions.

Sandei consists of two main products lines:
Sandei Blinds and Sandei Partitions.

 sandeipartitions



The science of today is the technology
of tomorrow.



Edward Teller

 sandeirblinds

Social Media

 sandei_official



FIRST PRINT

www.sandei.co.id